



General

Title

Palliative care inpatient experiences: percentage of hospitalized patients who reported that they felt heard and understood by doctors, nurses, and hospital staff on the Heard & Understood item.

Source(s)

Gramling R, Stanek S, Ladwig S, Gajary-Coots E, Cimino J, Anderson W, Norton SA, AAHPM Research Committee Writing Group. Feeling heard and understood: a patient-reported quality measure for the inpatient palliative care setting. J Pain Symptom Manage. 2016 Feb;51(2):150-4. [20 references] PubMed

Measure Domain

Primary Measure Domain

Clinical Quality Measures: Patient Experience

Secondary Measure Domain

Does not apply to this measure

Brief Abstract

Description

This measure is used to assess the percentage of hospitalized patients who reported that they felt heard and understood by doctors, nurses, and hospital staff on the Heard & Understood item.

The Heard & Understood measure is calculated based on the patients' responses ("Completely," "Quite a Bit," "Moderately," "Slightly," "Not at All") to the following item:

Over the past two days, how much have you felt heard and understood by the doctors, nurses and hospital staff?

Two scoring options are used to calculate the measure:

Option A ("At Goal"): Number of respondents who endorse "Completely"

Option B ("At or Near Goal"): Number of respondents who endorse either "Completely" or "Quite a Bit"

Rationale

Promoting health care environments where patients feel heard and understood by those caring for them is essential to ensure value-concordant decision making (Elwyn et al., 2014; Epstein & Gramling, 2013; Epstein & Street, 2007), enhance dignity (Chochinov et al., 2015; Houmann et al., 2014), and relieve suffering (Cassel, 1982; Cassell, 1999). Nonetheless, seriously ill persons all too often feel silenced, ignored, and misunderstood in modern medical institutions (Institute of Medicine [IOM], 2015; Frosch et al., 2012; Norton et al., 2003). Systematically monitoring, reporting, and responding to how well patients feel heard and understood are crucial to create and sustain a health care environment that excels in caring for those who are seriously ill.

"Measuring What Matters" (MWM) (Dy et al., 2015) is a national palliative care quality improvement effort to identify, promote, and refine measurable indicators of high-quality care for seriously ill patients. The first MWM consensus statement (Dy et al., 2015) defined nine specific measures and called for the development of a 10th item to capture patients' global assessment of their health care quality. Toward this 10th aim, the developer designed a novel field measure of the degree to which seriously ill patients feel heard and understood by those caring for them in the hospital environment.

Evidence for Rationale

Cassel EJ. The nature of suffering and the goals of medicine. N Engl J Med. $1982 \, \text{Mar} \, 18;306(11):639-45.$ PubMed

Cassell EJ. Diagnosing suffering: a perspective. Ann Intern Med. 1999 Oct 5;131(7):531-4. PubMed

Chochinov HM, McClement S, Hack T, Thompson G, Dufault B, Harlos M. Eliciting personhood within clinical practice: effects on patients, families, and health care providers. J Pain Symptom Manage. 2015 Jun;49(6):974-80. PubMed

Dy SM, Kiley KB, Ast K, Lupu D, Norton SA, McMillan SC, Herr K, Rotella JD, Casarett DJ. Measuring what matters: top-ranked quality indicators for hospice and palliative care from the American Academy of Hospice and Palliative Medicine and Hospice and Palliative Nurses Association. J Pain Symptom Manage. 2015 Apr;49(4):773-81. PubMed

Elwyn G, Lloyd A, May C, van der Weijden T, Stiggelbout A, Edwards A, Frosch DL, Rapley T, Barr P, Walsh T, Grande SW, Montori V, Epstein R. Collaborative deliberation: a model for patient care. Patient Educ Couns. 2014 Nov;97(2):158-64. PubMed

Epstein RM, Gramling RE. What is shared in shared decision making? Complex decisions when the evidence is unclear. Med Care Res Rev. 2013 Feb;70(1 Suppl):94S-112S. PubMed

Epstein RM, Street RL. Patient-centered communication in cancer care: promoting healing and reducing suffering. Bethesda (MD): National Institutes of Health (NIH); 2007. 203 p. (NIH publication; no. 07-6225). [33 references]

Frosch DL, May SG, Rendle KA, Tietbohl C, Elwyn G. Authoritarian physicians and patients' fear of being labeled 'difficult' among key obstacles to shared decision making. Health Aff (Millwood). 2012 May;31(5):1030-8. PubMed

Gramling R, Stanek S, Ladwig S, Gajary-Coots E, Cimino J, Anderson W, Norton SA, AAHPM Research Committee Writing Group. Feeling heard and understood: a patient-reported quality measure for the inpatient palliative care setting. J Pain Symptom Manage. 2016 Feb;51(2):150-4. [20 references] PubMed

Houmann LJ, Chochinov HM, Kristjanson LJ, Petersen MA, Groenvold M. A prospective evaluation of dignity therapy in advanced cancer patients admitted to palliative care. Palliat Med. 2014 May;28(5):448-58. PubMed

Institute of Medicine (IOM). Dying in America: improving quality and honoring individual preferences near end-of-life. Washington (DC): The National Academies Press; 2015. 612 p.

Norton SA, Tilden VP, Tolle SW, Nelson CA, Eggman ST. Life support withdrawal: communication and conflict. Am J Crit Care. 2003 Nov;12(6):548-55. PubMed

Primary Health Components

Palliative care; inpatient consultation; feeling heard and understood

Denominator Description

Number of hospitalized patients who received an initial consult visit by specialty palliative care between 24 and 72 hours prior to the time of item administration (see the related "Denominator Inclusions/Exclusions" field)

Numerator Description

- Option A ("At Goal"): Number of respondents who endorse "Completely"
- Option B ("At or Near Goal"): Number of respondents who endorse either "Completely" or "Quite a Bit"

Evidence Supporting the Measure

Type of Evidence Supporting the Criterion of Quality for the Measure

One or more research studies published in a National Library of Medicine (NLM) indexed, peer-reviewed journal

Additional Information Supporting Need for the Measure

Unspecified

Extent of Measure Testing

Unspecified

State of Use of the Measure

State of Use

Pilot testing

Cι	ır	rp	nl	H		S	Δ
しし	11		ш		J	2	$\overline{}$

not defined yet

Application of the Measure in its Current Use

Measurement Setting

Hospital Inpatient

Professionals Involved in Delivery of Health Services

not defined yet

Least Aggregated Level of Services Delivery Addressed

Single Health Care Delivery or Public Health Organizations

Statement of Acceptable Minimum Sample Size

Unspecified

Target Population Age

Unspecified

Target Population Gender

Either male or female

National Strategy for Quality Improvement in Health Care

National Quality Strategy Aim

Better Care

National Quality Strategy Priority

Person- and Family-centered Care

Institute of Medicine (IOM) National Health Care Quality Report Categories

TOM Care Meen

End of Life Care

Living with Illness

IOM Domain

Patient-centeredness

Data Collection for the Measure

Case Finding Period

Unspecified

Denominator Sampling Frame

Patients associated with provider

Denominator (Index) Event or Characteristic

Institutionalization

Therapeutic Intervention

Denominator Time Window

not defined yet

Denominator Inclusions/Exclusions

Inclusions

Number of hospitalized patients who received an initial* consult visit by specialty palliative care between 24 and 72 hours prior to the time of item administration

 ${}^*\mathit{Initial}$ refers to the first palliative care consult during this admission.

Exclusions

Unspecified

Exclusions/Exceptions

not defined yet

Numerator Inclusions/Exclusions

Inclusions

Option A ("At Goal"): Number of respondents who endorse "Completely"

Option B ("At or Near Goal"): Number of respondents who endorse either "Completely" or "Quite a

Exclusions Unspecified

Numerator Search Strategy

Fixed time period or point in time

Data Source

Patient/Individual survey

Type of Health State

Does not apply to this measure

Instruments Used and/or Associated with the Measure

Heard & Understood Item

Computation of the Measure

Measure Specifies Disaggregation

Does not apply to this measure

Scoring

Dichotomous

Frequency Distribution

Rate/Proportion

Interpretation of Score

Desired value is a higher score

Allowance for Patient or Population Factors

not defined yet

Standard of Comparison

not defined yet

Identifying Information

Original Title

Heard & understood item.

Submitter

Gramling, Robert, MD, DSc, University of Vermont - Independent Author(s)

Developer

Gramling, Robert, MD, DSc, University of Vermont - Independent Author(s)

Funding Source(s)

This work was funded by a Research Scholar Grant from the American Cancer Society (Principal Investigator: R. Gramling).

Composition of the Group that Developed the Measure

- Robert Gramling, MD, DSc, University of Vermont (principal)
- Elizabeth Gajary-Coots, MA, RN, University of Rochester
- Susan Stanek, RN, University of Rochester
- Nathalie Dugoud, MSN, University of Rochester
- Heather Pyke, MS, University of Rochester
- Marie Thomas, BA, University of Rochester
- Jenica Cimino, BA, University of California San Francisco
- Mechelle Sanders, MPH, University of Rochester
- Stewart C. Alexander, PhD, Purdue University
- Ronald Epstein, MD, University of Rochester
- Kevin Fiscella, MD, MPH, University of Rochester
- David Gramling, PhD, University of Arizona
- Susan Ladwig, MPH, University of Rochester
- Wendy Anderson, MD, MS, University of California San Francisco
- Sally A. Norton, PhD, RN, University of Rochester

Financial Disclosures/Other Potential Conflicts of Interest

None

Adaptation

This measure was not adapted from another source.

Date of Most Current Version in NQMC

2016 Feb

Measure Maintenance

Updated annually

Date of Next Anticipated Revision

2018 Jan

Measure Status

This is the current release of the measure.

Measure Availability

Source available for purchase from the Elsevier Web site

For more information, contact Robert Gramling, MD, DSc, at the University of Vermont College of Medicine, 235 Rowell, 106 Carrigan Drive, Burlington, VT 05405; Phone: (802) 847-4848; E-mail: Robert.Gramling@uvm.edu.

NQMC Status

This NQMC measure summary was completed by ECRI Institute on September 28, 2016. The information was verified by the measure developer on October 3, 2016.

Copyright Statement

This article was published in the Journal of Pain and Symptom Management, Vol. 51, Gramling R, Stanek S, Ladwig S, Gajary-Coots E, Cimino J, Anderson W, Norton SA, AAHPM Research Committee Writing Group, Feeling heard and understood: a patient-reported quality measure for the inpatient palliative care setting, 150-4, Copyright Elsevier (2016). This permission is granted for non-exclusive world rights in all languages. Reproduction of this material is granted for the purpose for which permission is hereby given, and includes use in any future editions.

Production

Source(s)

Gramling R, Stanek S, Ladwig S, Gajary-Coots E, Cimino J, Anderson W, Norton SA, AAHPM Research Committee Writing Group. Feeling heard and understood: a patient-reported quality measure for the inpatient palliative care setting. J Pain Symptom Manage. 2016 Feb;51(2):150-4. [20 references] PubMed

Disclaimer

NQMC Disclaimer

The National Quality Measures Clearinghouseâ,¢ (NQMC) does not develop, produce, approve, or endorse the measures represented on this site.

All measures summarized by NQMC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public and private organizations, other government agencies, health care organizations or plans, individuals, and similar entities.

Measures represented on the NQMC Web site are submitted by measure developers, and are screened solely to determine that they meet the NQMC Inclusion Criteria.

NQMC, AHRQ, and its contractor ECRI Institute make no warranties concerning the content or its reliability and/or validity of the quality measures and related materials represented on this site. Moreover, the views and opinions of developers or authors of measures represented on this site do not necessarily state or reflect those of NQMC, AHRQ, or its contractor, ECRI Institute, and inclusion or hosting of measures in NQMC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding measure content are directed to contact the measure developer.